

# MATERIAL SAFETY DATA SHEET

## FIX - IT - ALL

### HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	I

### 1. Product And Company Identification

#### Supplier

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA  
Telephone Number: (562) 968-2980 Ext 103  
FAX Number: (562) 903-2697  
E-Mail: georgem@cbpmail.net  
Web Site: www.custombuildingproducts.com

#### Manufacturer

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA  
Telephone Number: (562) 968-2980 Ext 103  
FAX Number: (562) 903-2697  
E-Mail: georgem@cbpmail.net  
Web Site: www.custombuildingproducts.com

#### Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

#### Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

Issue Date: 05/24/2007

Product Name: FIX - IT - ALL  
CAS Number: Not Established  
Chemical Formula: Mixture  
MSDS Number: 443  
Product Code: 8060

#### Product Identification Text

THIS MSDS IS APPLICABLE TO THE FOLLOWING PRODUCTS:

FIX - IT - ALL

### 2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Volume
PLASTER OF PARIS	26499-65-0	70 - 80
STARCH	9005-25-8	1 - 5
Calcium Carbonate	1317-65-3	15 - 25

### 3. Hazards Identification

#### Primary Routes(s) Of Entry

EYES, SKIN AND NOSE.

#### Eye Hazards

GYPSUM AND LIMESTONE DUST CAN IRRITATE THE EYES.

#### Skin Hazards

WET GYPSUM, ESPECIALLY AS AN INGREDIENT IN UNHARDENED PLASTER, CAN DRY AND IRRITATE THE SKIN. MAY DEVELOP SUFFICIENT HEAT TO CAUSE BURN TO SKIN IF A LARGE MASS IS KEPT IN CONTACT WITH SKIN WHILE HARDENING.

# MATERIAL SAFETY DATA SHEET

## FIX - IT - ALL

### 3. Hazards Identification - Continued

#### Ingestion Hazards

HARDENS WHEN WET AND IF INGESTED MAY RESULT IN OBSTRUCTION.

#### Inhalation Hazards

PROLONGED INHALATION OF NUISANCE DUST MAY RESULT IN IRRITATION TO THE UPPER RESPIRATORY TRACT.

#### Chronic/Carcinogenicity Effects

GYPSUM AND LIMESTONE MAY CONTAIN MINUTE AMOUNTS OF SILICA SAND, A CHEMICAL KNOWN TO CAUSE CANCER.

#### Conditions Aggravated By Exposure

SENSITIVE INDIVIDUALS MAY DEVELOP SKIN RASH.

### 4. First Aid Measures

#### Eye

IRRIGATE EYES WITH WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN IMMEDIATELY.

#### Skin

WASH EXPOSED AREA WITH SOAP AND WATER IMMEDIATELY. IF RASH DEVELOPS, SEEK MEDICAL ATTENTION.

#### Ingestion

DO NOT INDUCE VOMITING. IF VICTIM IS CONSCIOUS, GIVE LARGE QUANTITIES OF WATER OR MILK. CONSULT PHYSICIAN.

#### Inhalation

IMMEDIATELY REMOVE TO FRESH AIR. CONSULT A PHYSICIAN

#### Note To Physician

HARDENS WHEN WET. IF DIGESTED MAY CAUSE OBSTRUCTION.

### 5. Fire Fighting Measures

**Flash Point:** N/A °F

**Flash Point Method:** N/A

**Lower Explosive Limit:** N/A

**Upper Explosive Limit:** N/A

#### Fire And Explosion Hazards

NONE REQUIRED.

#### Extinguishing Media

NON-FLAMMABLE.

#### Fire Fighting Instructions

NONE REQUIRED.

### 6. Accidental Release Measures

IN CASE MATERIAL IS RELEASED OR SPILLED, CLEAN UP USING DRY METHODS THAT DO NOT CREATE DUST. AVOID BREATHING THE DUST. EMERGENCY PROCEDURES ARE NOT REQUIRED.

### 7. Handling And Storage

#### Handling And Storage Precautions

USE DUSTLESS OR WET SYSTEMS WHEN HANDLING AND CLEAN-UP SO THAT EXPOSURE DOES NOT EXCEED TLV.

# MATERIAL SAFETY DATA SHEET

## FIX - IT - ALL

### 7. Handling And Storage - Continued

#### Work/Hygienic Practices

GOOD HOUSEKEEPING PROCEDURES SHOULD BE FOLLOWED AT ALL TIMES.

### 8. Exposure Controls/Personal Protection

#### Eye/Face Protection

SAFETY GLASSES.

#### Skin Protection

IMPERVIOUS GLOVES SHOULD BE WORN TO PREVENT SKIN CONTACT.

#### Respiratory Protection

APPROVED NIOSH RESPIRATOR.

#### Other/General Protection

USE MECHANICAL VENTILATION TO KEEP DUST EXPOSURE BELOW TLV RANGES.

#### Ingredient(s) - Exposure Limits

PLASTER OF PARIS

ACGIH TLV-TWA 10 mg/m<sup>3</sup>

STARCH

ACGIH TLV-TWA 10 mg/m<sup>3</sup>

OSHA PEL-TWA 15 mg/m<sup>3</sup>

OSHA PEL-TWA 5 mg/m<sup>3</sup>

Calcium Carbonate

OSHA - PEL - TWA - 15mg/m<sup>3</sup>

NIOSH - REL 10 mg/m<sup>3</sup>

ACGIH- TLV - 10 mg/m<sup>3</sup>

OSHA - PEL - TWA - 5 mg/m<sup>3</sup>

THE USE OF BARRIER CREAMS OR GLOVES, IMPERVIOUS BOOTS AND CLOTHING TO PROTECT THE SKIN FROM CONTACT WITH WEGYPSUM.

### 9. Physical And Chemical Properties

#### Appearance

LIGHT COLORED POWDER.

#### Odor

ODORLESS.

**Chemical Type:** Mixture

**Physical State:** Solid

**Boiling Point:** N/A °F

**Specific Gravity:** 2.6

**Vapor Density:** N/A

**Solubility:** SLIGHT

**Evaporation Rate:** N/A

### 10. Stability And Reactivity

**Stability:** STABLE

**Hazardous Polymerization:** WILL NOT OCCUR.

#### Conditions To Avoid (Stability)

NONE.

#### Incompatible Materials

STRONG ACIDS.

# MATERIAL SAFETY DATA SHEET

## FIX - IT - ALL

### 10. Stability And Reactivity - Continued

#### Hazardous Decomposition Products

REACTION WITH STRONG ACIDS WILL RELEASE CARBON DIOXIDE.

### 11. Toxicological Information

#### Chronic/Carcinogenicity

GYPSUM AND LIMESTONE MAY CONTAIN MINUTE AMOUNTS OF SILICA SAND, A CHEMICAL KNOWN TO CAUSE CANCER.

### 12. Ecological Information

No Data Available...

### 13. Disposal Considerations

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

#### RCRA Information

NOT CONSIDERED RCRA WASTE

### 14. Transport Information

#### DOT Shipping Label

NOT REGULATED

### 15. Regulatory Information

#### State Regulations

GYPSUM AND LIMESTONE MAY CONTAIN MINUTE AMOUNTS OF SILICA SAND, A CHEMICAL KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER.

#### Ingredient(s) - State Regulations

PLASTER OF PARIS

Pennsylvania - Workplace Hazard

STARCH

Pennsylvania - Workplace Hazard

Calcium Carbonate

Pennsylvania - Workplace Hazard

### 16. Other Information

#### HMIS Rating

Health: 1

Fire: 0

Reactivity: 0

Personal Protection: I

#### Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (323) 582-0846

This MSDS Supersedes A Previous MSDS Dated: 03/16/2005

#### Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

**MATERIAL SAFETY DATA SHEET**  
**FIX - IT - ALL**

**Disclaimer - Continued**

CUSTOM BUILDING PRODUCTS

Printed Using MSDS Generator™ 2000